

LEISTER

PLASTIC WELDING

Plastic welding
made easy:

TRIAC BT



New!



Swiss Made Quality ✓

Hand tool
TRIAC BT

The TRIAC BT fulfills all of the functionality and design requirements necessary for successful plastic welding. Weighing just one kilogram, it is the lightest in its class and is made from high-quality material. Every TRIAC BT kit undergoes stringent quality checks before leaving the factory in Switzerland. The sturdy tool box includes everything an expert technician requires.



Temperature setting:
Convenient and reliable temperature adjustment



Accidental start-up protection:
The temperature adjustment becomes illuminated if the power to the tool is interrupted



Filter:
The fine mesh air filter prevents dirt from clogging the air inlet of the tool



Nozzle:
Extra strong integral 0.2 inch universal nozzle



Filter cleaning:
The air filters on both sides can be easily removed and cleaned



Spare heating element:
Protected, packed in a box and within easy reach



Tool handle: Ergonomically designed handle with soft grip covering for a secure hold



Tool box:
Enough space for all the accessories the professional needs



Well balanced design for precise welding.

Technical Data

Voltage	V~	120
Power consumption	W	1550
Temperature	°F	68 – 1292
Air flow (68°F)	cfm	8.12
Size (L x Ø)	inch	14.6 x 3.5, handle 2.2
Weight	lbs	2.2
Marking of conformity	CE	
Approval mark	UL	
Certification scheme	CCA, CB	
Protection class II	□	

Article-no:

136.943


TRIAC BT welding kit: TRIAC BT hand tool, 120 V / 1550 W, with US plug, tacking nozzle, 0.2 inch speed welding nozzle and spare heating element, delivered in the practical Leister tool box.




- Light and easy to handle
- Ergonomic handle for welding without strain
- Electronically protected heating element
- Integral universal nozzle
- Built-in start up protection in case of power interruption

Accessories


Tacking nozzle, push-fit




Speed welding nozzle, push-fit




Speed welding nozzle, push-fit



Heating element, 120 V~ / 1500 W



Tool box



Leister-Cutter, with 4 spare blades



Article numbers

106.996

106.989 (0.12 inch)
106.990 (0.16 inch)
106.991 (0.2 inch)

106.992 (0.22 inch, A)
106.993 (0.28 inch, B)

136.918

116.586

137.855



Headquarters:

Leister Process Technologies
Galileo-Strasse 10
6056 Kaegiswil/Switzerland

phone: +41 41 662 74 74
fax: +41 41 662 74 16
leister@leister.com

www.leister.com

Leister Process Technologies is an **ISO 9001** certified enterprise.

Specifications are subject to change without prior notice

Europe: Italy, Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Estonia, Denmark, Finland, France, Germany, Great Britain, Greece, Hungary, Ireland, Iceland, Latvia, Lithuania, Netherlands, Norway, Poland, Portugal, Romania, Russia, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey, Ukraine

Asia: P. R. China, Hong Kong, India, Indonesia, Iran, Japan, Korea, Malaysia, Philippines, Saudi Arabia, Singapore, Taiwan, United Arab Emirates, Vietnam

America: Canada, Mexico, USA, Argentina, Brazil, Chile, Ecuador, Peru

Africa: Algeria, Egypt, Kenya, Morocco, South Africa

Oceania: Australia, New Zealand

Key Locations:
 Leister Technologies LLC • Itasca, IL, USA
 Leister Technologies GmbH • Aachen, Germany
 Leister Process Technologies Headquarters and Manufacturing Sarnen, Switzerland
 Leister Technologies Ltd. • Shanghai, China

Our close worldwide network of more than 120 Sales and Service Centres in more than 90 countries.

© Copyright by Leister


Our Sales and Service Centers in the US.

Industrial Heat Sources LLC

44134 Cleveland, OH
Toll free number: 800 635 0384
www.industrialheatsources.com

Western Process Heat Inc.

92029 Escondido, CA
Toll free number: 800 694 1472
www.hotairtools.com



Malcom Company Inc.

02878 Tiverton, RI
Toll free number: 888 807 4030
www.malcom.com

Heely-Brown Company

30318 Atlanta, GA
Toll free number: 800 241 4628
www.heely-brown.com