







TRIAC S & TRIAC PID ACCESSORIES**Tubular nozzle for TRIAC S & Triac PID****100.303: Tubular nozzle Ø 5 mm, push-fit****Speed welding nozzle for TRIAC S & Triac PID****105.431: Speed welding nozzle 3 mm, small air-slide, push-fit on tubular nozzle Ø 5 mm****105.432: Speed welding nozzle 4 mm, small air-slide, push-fit on tubular nozzle Ø 5mm****105.433: Speed welding nozzle 5 mm, small air-slide, push-fit on Tubular nozzle Ø 5 mm****Tubular nozzle for TRIAC S & Triac PID****105.622: Tubular nozzle Ø 5 mm, screw on****Pressure roller for TRIAC S & Triac PID****106.972: Pressure roller with ball bearings (brass)****One-arm pressure roller for TRIAC S & Triac PID****140.160: One-arm pressure roller 40 mm, with ball bearings (silicon)****Pressure roller for TRIAC S & Triac PID****106.976: Pressure roller 28 mm (PTFE)****Pressure roller for TRIAC S & Triac PID****140.161: Pressure roller 28 mm (silicon)****Customs seal roller for TRIAC S & Triac PID****106.981: Customs seal roller****Tacking nozzle screw on for TRIAC S & Triac PID****and Welding PEN R / Welding PEN S****106.988: Tacking nozzle screw on****Speed welding nozzle for TRIAC S & Triac PID****106.989: Speed welding nozzle 3 mm, push-fit on tubular nozzle Ø 5 mm****106.990: Speed welding nozzle 4 mm push-fit, on tubular nozzle Ø 5 mm****106.991: Speed welding nozzle 5 mm, push-fit on tubular nozzle Ø 5 mm**

**Speed welding nozzle for TRIAC S & Triac PID****106.992: Speed welding nozzle 5.7 mm, push-fit on tubular nozzle Ø 5 mm****106.993: Speed welding nozzle 7 mm, push-fit on tubular nozzle Ø 5 mm****Tacking nozzle for TRIAC S & Triac PID****106.996: Tacking nozzle, push-fit on tubular nozzle Ø 5mm****Wide slot nozzle for TRIAC S & Triac PID****107.123: Wide slot nozzle 20 mm, push-fit****Angled nozzle for TRIAC S & Triac PID****107.124: Angled nozzle 20 mm, 90°, push-fit****Angled nozzle for TRIAC S & Triac PID****107.125: Angled nozzle 20 mm, 60°, push-fit****Wide slot nozzle for TRIAC S & Triac PID****107.129: Wide slot nozzle 60 mm, push-fit****Wide slot nozzle for TRIAC S & Triac PID****107.130: Wide slot nozzle 40 mm, 60° bent, push-fit****Wide slot nozzle for TRIAC S & Triac PID****107.131: Wide slot nozzle 80 mm, push-fit****Wide slot nozzle for TRIAC S & Triac PID****107.132: Wide slot nozzle 40 mm, push-fit****Wide slot nozzle for TRIAC S & Triac PID****107.133: Wide slot nozzle 40 mm, perforated, push-fit****Wide slot nozzle for TRIAC S & Triac PID****107.135: Wide slot nozzle 40 mm, PTFE coated push-fit****Speed welding nozzle for TRIAC S & Triac PID****107.136: Speed welding nozzle for tape 25mm x 2 mm, push-fit****Speed welding nozzle for TRIAC S & Triac PID****107.137: Speed welding nozzle for tape 8 mm, push-fit on tubular nozzle Ø 5mm****Speed welding nozzle for TRIAC S & Triac PID****107.139: Speed welding nozzle 4.5 x 12mm for fillet seams, push-fit on tubular nozzle ø 5mm****Spoon reflector for TRIAC S & Triac PID****107.307: Spoon reflector 27 x 35mm, push-fit on tubular nozzle Ø**

5mm**Sieve reflector for TRIAC S & Triac PID m****107.324: Sieve reflector 12 x 10 mm, push-fit on tubular nozzle Ø****5mm****Shell reflector for TRIAC S & Triac PID****and Diode PID / Diode S****107.326: Shell reflector 25 x 150 mm, push-fit****Sieve reflector for TRIAC S & Triac PID****107.337: Sieve reflector 50 x 35 mm, push-fit****Sieve reflector for TRIAC S & Triac PID****107.338: Sieve reflector 35 x 20 mm, push-fit****Soldering reflector for TRIAC S & Triac PID****107.339: Soldering reflector 17 x 34 mm, push-fit****Welding mirror for TRIAC S & Triac PID****107.344: Welding mirror 135 mm, push-fit****High speed draw nozzle for TRIAC S & Triac PID****113.666: High speed draw nozzle Ø 3mm with tacking tip, screw on (without tacking tip on request)****113.399: High speed draw nozzle Ø 4mm with tacking tip, screw on (without tacking tip on request)****High speed draw nozzle for TRIAC S & Triac PID****113.670: High speed draw nozzle 90 - 5.7 mm with tacking tip, screw on (without tacking tip on request)****106.986: Draw nozzle 7 mm, screw on**