



ELECTRON ST Hand Tool

The ELECTRON ST is a real powerhouse among Leister's hand tools; it provides high heating efficiency and large air volume in a compact size. Easy to use, temperature is controlled via a rotary knob. The new handle design gives users a better grip, while an improved weight distribution makes the tool more comfortable to use.

- Leister's most powerful hand tool
- Easy temperature adjustment up to 650°C via rotary knob
- Automatic shut-off when carbon brushes reach their wear limit to avoid expensive armature damages
- Automatic heating element protection
- Suitable for use on jobsite
- Easy-clean air filters
- Slimmer, 2 component handle provides better grip
- Improved weight balance and lower overall weight
- Sturdy tool case supplied

Technical Data

Voltage	V	120	230	230
Power consumption	W	2400	2300	3400
Temperature	°C	40 - 650	40 - 650	40 - 650
Size (L x W)	mm	338 x 90, handle Ø 56		
Weight	kg	1.18	1.18	1.18
Approval markings		CE, QPS	CE, QPS	CE, QPS
Electrical protection		Class II	Class II	Class II


Article No.:

145.562: ELECTRON ST - 120V / 2.4kW




















149.673: ELECTRON ST - 230V / 2.3kW

145.574: ELECTRON ST - 230V / 3.4kW

















Included in delivery: ELECTRON ST, plastic tool case



ELECTRON ST Accessories

					
107.258: Wide slot nozzle 70 x 10 mm, straight, for Bitumen	107.134: Wide slot nozzle 40 x 2 mm, straight, for tape	105.961: Wide slot nozzle 42 x 11 mm, length 300 mm	142.281: Wide slot nozzle 74 x 3 mm, with scraper	107.653: Wide slot nozzle 75 x 2 mm, 20° angled, for Bitumen	107.266: Wide slot nozzle 75 x 2 mm, tool stand included
					
106.057: Wide slot nozzle 100 x 4 mm, straight, without clamps	106.060: Wide slot nozzle 150 x 6 mm, straight, without clamps	107.270: Wide slot nozzle 150 x 12 mm, straight, without clamps	106.061: Wide slot nozzle 300 x 6 mm, straight	106.127: Sieve reflector Ø65 mm, straight, without clamps	107.327: Sieve reflector 75 x 70 x 90 mm, straight, without clamps
					
107.333: Sieve reflector 150 x 110 x 137 mm, straight, without clamps	107.330: Folding reflector Ø125 x 22 mm	107.331: Folding reflector Ø72 x 70 mm	107.340: Shell reflector 250 x 46 x 62 mm, without clamps	149.943: Round nozzle Ø30 mm, without clamps	107.229: Round nozzle Ø20 mm, without clamps
					
105.396: Tubular nozzle Ø48 mm, 193 mm long	107.256: Tubular nozzle Ø48 mm, 85 x 165 mm, 90° angled	122.332: Adapter to Ø62 mm	122.924: Adapter to Ø36.5 mm	160.842: Protection nozzle Ø44 mm, ring Ø100 mm	107.346: Welding mirror Ø270 mm, PTFE-coated
					
107.347: Welding mirror 74x12x520 mm, edges rounded, PTFE-coated	148.933: Heater tube protection	151.068: Tool stand	107.348: Tool rest	116.586: Tool case	140.160: 40 mm, silicone
					
140.161: 28 mm, silicone	106.976: 28 mm, PTFE	106.974: 80 mm, silicone	106.972: 6 mm, brass, penny roller	106.971: 7 mm, brass, for welding rod Ø2-4 mm	106.970: 7 mm, brass, for welding rod Ø4-5 mm

ELECTRON ST Accessories

 <p>106.981: 16 mm, steel & silicone</p>	 <p>108.190: 16 mm, silicone</p>	 <p>138.314: Seam probe tester for overlap seams</p>	 <p>151.188: Chamfer edge planer for T-joints</p>	 <p>137.855: Utility knife</p>	 <p>117.000: Trimming knife for vinyl and linoleum</p>
 <p>106.969: Quarter Moon Knife, 100 mm stainless steel blade</p>	 <p>122.541: Trimming guide to use with 106.969</p>	 <p>152.676: Leister weld seam template</p>	 <p>151.382: Inside corner tool, Kehlfix for plastic liners</p>	 <p>153.009: Plastfix corner tool</p>	 <p>154.026: Contour scraper</p>
 <p>154.259: Scraper blade</p>	 <p>116.798: Brass brush</p>	 <p>151.847 Brass brush Ø15 mm</p>	 <p>142.647: Brass brush Ø3 mm</p>		